

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 0 565 007 B1**

(12)

EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention
of the grant of the patent:
08.07.1998 Bulletin 1998/28

(51) Int. Cl.⁶: **A61K 7/48**

(21) Application number: **93105545.3**

(22) Date of filing: **03.04.1993**

(54) Bath agent

Badepräparat

Composition de bain

(84) Designated Contracting States:
**AT BE CH DE DK ES FR GB GR IE IT LI LU MC NL
PT SE**

(30) Priority: **10.04.1992 JP 135519/92**

(43) Date of publication of application:
13.10.1993 Bulletin 1993/41

(73) Proprietor:
**Senju Pharmaceutical Co., Ltd.
Osaka-shi, Osaka 541 (JP)**

(72) Inventors:
• **Yoshida, Shoji**
Nishinomiya-shi, Hyogo 662 (JP)
• **Ogata, Kazumi**
Toyonaka-shi, Osaka 565 (JP)

• **Kawahira, Osamu**
Osaka-shi, Osaka 552 (JP)

(74) Representative:
von Kreisler, Alek, Dipl.-Chem. et al
Patentanwälte
von Kreisler-Selting-Werner
Postfach 10 22 41
50462 Köln (DE)

(56) References cited:
EP-A- 0 127 471 **EP-A- 0 236 120**
EP-A- 0 430 045

• **DATABASE WPIL Section Ch, Week 8829,**
Derwent Publications Ltd., London, GB; Class
B07, AN 88-202095 & JP-A-63 139 972 (SHISEIDO
KK) 11 June 1988

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

EP 0 565 007 B1

Description**1. Field of the Invention**

5 This invention relates to a useful bath agent having the effects of removing and preventing the skin itch and preventing the skin aging. More particularly, it relates to a bath agent which contains sodium sulfate and/or sodium chloride and a free radical inhibitor and which is useful for removing and preventing an itch and for preventing the aging of skin by preventing and removing effectively the free radical produced on the skin surface.

2. Description of the Prior Art

10 There have been known various bath agents so far. For example, the bath agents added with sodium sulfate and sodium chloride for the purpose of keeping the skin warm have been used from old times. There is also known a bath agent compounded of proteinases to wash off the waste matter of skin and the skin keratin [KOKAI (First Publication) No. SHO 58-59909]. Moreover, there are known a bath agent compounded of galenica or galenical extract for the purpose of anti-phlogistic effect and a bath agent compounded of kojic acid, its salt or L-ascorbic acid-2-magnesium phosphate for the purpose of the effects of preventing spots and freckles and becoming fair-complexioned [KOKAI (First Publication No. HEI 3-127724)]

20 On the other hand, the free radical which is produced on the skin surface by ultraviolet rays is said to be the cause of itch or skin aging and to progress into skin cancer in the worst case. Originally, there exists an enzyme, superoxide dismutase (SOD), in the skin which prevents the production of free radical on the skin surface. However, in case of the exposure of excessive ultraviolet rays or in case of the elderly having less SOD, the production of free radical cannot be prevented effectively. Therefore, in such a case a drug which removes the free radical produced on the skin surface is required.

25 Under such a situation, if there is a bath agent which has an action of preventing and removing effectively the free radical produced on the skin surface by ultraviolet rays and which can be used easily, it is considered to be convenient.

30 Generally, however, many free radical inhibitors are insoluble in water (for example, tocopherol, BHT, BHA) and water-soluble free radical inhibitors are hardly known. Although ascorbic acid, cystein, and glutathione which are water-soluble have strong reducing action, their inhibitory action is very weak if they have free radical-inhibitory action. Therefore, the action cannot be said to be fully satisfactory for the removal of free radical produced on the skin surface, which is the object of this invention.

Accordingly, the bath agents having satisfactory free radical-removing effect have not been known so far under present conditions.


35 EP-A-0 430 045 describes pharmaceutical compositions comprising in admixture with a carrier ascorbic acid tocopheryl phosphate diesters for inhibition of Maillard's reaction in human body, which reaction may be responsible for the development of diabetic complications and age associated disorders.

Data base WPIL AN 88-202095 describes strong antioxidants comprising phosphoric acid diester tocopherol ascorbic acid salts.

40 So the inventors made earnest investigation looking for useful bath agents to prevent and remove effectively the free radical produced on the skin surface. Consequently, we unexpectedly found it possible to prevent and remove effectively the free radical produced on the skin surface by the combined use with sodium sulfate and/or sodium chloride and L-ascorbic acid tocopherolphosphate diester. This invention has been completed on this new knowledge.

SUMMARY OF THE INVENTION

45 This invention relates to a useful bath agent which is characterized by containing sodium sulfate and/or sodium chloride and a compound represented by the following formula (I)



(in the formula R_1 and R_2 are the same or different, showing hydrogen atom or methyl group) or its salt and which is able to prevent and remove effectively the free radical produced on the skin surface.

DETAILED DESCRIPTION OF THE INVENTION

The compound which is incorporated in the bath agent of this invention and represented by formula (I) (hereinafter sometimes referred to "L-ascorbic acid-tocopherolphosphate diester") or its salt is a compound which the inventors once invented, and it can properly be manufactured, for example, by the methods mentioned in KOHKOKU (Second Publication) No. HEI 2-44478 which corresponds to USP No. 4,564,686 and KOKAI (First Publication) No. SHO 62-205091 which corresponds to USP No. 4,914,197 or in accordance with them.

As to the efficacy of a compound represented by formula (I), the anti-cataract action [KOHKOKU (Second Publication) No. HEI 2-44478 which corresponds to USP No. 4,564,686], the antiinflammatory action [KOHKOKU (Second Publication) No. HEI 1-27044] and so forth have already been known. The alkali metal salts are water-soluble having the surface-active action, and their stability in water is also excellent.

However, it has not been known yet that a bath agent in which the compound represented by formula (I) is used together with sodium sulfate and/or sodium chloride can effectively prevent and remove the free radical produced on the skin surface and thereby it is effective in preventing and removing an itch and in preventing the skin aging.

The excellent effect of this invented bath agent has not been attained until the compound represented by formula (I) was used together with sodium sulfate and/or sodium chloride.

L-ascorbic acid-tocopherolphosphate diester compounds or their salts incorporated in this invented bath agent may be used by combining one or more kinds of them at the proper ratio according to the object. As for their salts, any salt will do provided that it is pharmacologically acceptable and water-soluble. For example, alkali metal salts such as sodium salt and potassium salt can be used suitably for the purpose of this invention.

The concentration of L-ascorbic acid-tocopherolphosphate diester compound or its salt incorporated in this invented bath agent is suitably selected according to the kind of compound or the dosage form of bath agent, but it is good usually in 0.001 - 5.0 (W/W)% and desirably in 0.01 - 0.5 (W/W)%.

Inorganic salts - sodium sulfate and sodium chloride - which are incorporated in this invented bath agent are used alone or together, respectively.

As for sodium sulfate, an inorganic salt, incorporated in this invented bath agent, any of its anhydride (Na_2SO_4), monohydrate ($\text{Na}_2\text{SO}_4 \cdot \text{H}_2\text{O}$) and decahydrate ($\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$) can be used suitably. Moreover, these may be used alone or more kinds may be properly used together.

The concentrations of sodium sulfate and sodium chloride in the bath agent are different according to the dosage form of bath agent and single or joint use of these inorganic salts, but they can be adjusted to the optional concentration in which the quantities of the compound represented by formula (I) and other bases are deducted from the quantity of this bath agent. For instance, as to the concentrations in case of using these jointly, they are desirably 40-70 (W/W)% in sodium sulfate and 30-70 (W/W)% in sodium chloride, but they are not always limited to these figures.

This invented bath agent can take various dosage forms such as liquid and jelly-like forms. Considering the convenience for dealing, however, it is usually desirable to make the dosage forms such as powders, granules, tablets, and effervescent tablets. These preparations can be manufactured properly by the conventional methods used for the manufacture of bath agents. Besides, it is convenient for dealing to seal hermetically this invented bath agent in proper bags and containers such as polyethylene-coated aluminium bags and polyethylene containers.

A dose of this invented bath agent given in the bath is properly selected according to the kinds of active constituents and their concentrations, dosage forms of bath agents, the age of bathers, their skin conditions, and the bath tempera-

ture. For instance, about 5-60 g per bath of 150-l are usually good and desirably about 10-40 g are good. However, the dose is not always limited to these figures.

In this invented bath agent, moisture-retention agent, enzyme agent, binder, disintegrator, effervescing agent, dispersing agent, coloring matter, aromatic, surfactant, buffer, stabilizer and pH-adjusting agent, which have hitherto been used as the ingredients of bath agent can be incorporated properly at the commonly-used concentrations.

Furthermore, in this invented bath agent, upon necessity other ingredients having free radical-inhibiting action and different kinds of efficacious ingredients (e.g. hot spring ingredients) can be contained properly, unless they are against the purpose of this invention.

10 EXAMPLES

The following examples are further illustrative of the present invention.

The abbreviations of compound of formula (I) used in the undermentioned examples express the following compounds, respectively:

- α -EPC ($R_1=R_2$ =methyl group)
- β -EPC (R_1 =methyl group, R_2 =hydrogen atom)
- γ -EPC (R_1 =hydrogen atom, R_2 =methyl group)
- δ -EPC ($R_1=R_2$ =hydrogen atom)

Example 1

Sodium sulfate	1 kg
Jasmine	proper quantity
δ -EPC dipotassium salt	1 g

Mix the above materials uniformly, fill each 30 g per wrapper in a polyethylene-coated aluminium bag after drying and seal hermetically to make a bath agent.

Example 2

Sodium sulfate	700 g
Sodium chloride	200 g
Potassium chloride	100 g
α -EPC dipotassium salt	5 g
Maleic anhydride	9.8 g
Sodium hydrogencarbonate	17 g
Aromatic	proper quantity
Coloring agent	proper quantity

Mix the above materials with ethanol, fill each 30 g per wrapper in a polyethylene-coated aluminium bags after drying and seal hermetically to make a bath agent.

(Effect)

When this bath agent was applied to a 60 year-old male who sometimes complained of an unaccountable itch on his back, itching left him after bathing. As another case, when the bath agent was applied to a 25 year-old female who had had an itch on the whole body after swimming, itching was gone after bathing and the agent proved to be effective.


Example 3

α -EPC monopotassium salt	2 g
Sodium chloride	600 g
Sodium sulfate, anhydrous	18 g
Potassium chloride	0.5 g
Sodium hydrogencarbonate	0.5 g
Magnesium chloride	260 g
Calcium chloride	36 g
Boric acid	0.3 g
Borax	0.1 g
Sodium edetate	0.13 g

Mix the above materials uniformly, fill in a polyethylene container holding, after drying and put about 30 g in a 150-l bathtub.

Claims

1. A bath agent containing sodium sulfate and/or sodium chloride and a compound represented by the following formula (I)




(in the formula R₁ and R₂ are the same or different, showing hydrogen atom or methyl group) or its salt.

2. The bath agent as claimed in claim 1 in which the concentration of a compound represented by formula (I) or its salt is 0.001 to 5.0 (W/W)%.

Patentansprüche

1. Badezusatz, enthaltend Natriumsulfat und/oder Natriumchlorid und eine durch die folgende Formel (I)




dargestellte Verbindung (wobei in der Formel R_1 und R_2 gleich oder verschieden sind) oder deren Salz.

2. Badezusatz nach Anspruch 1, wobei die Konzentration einer durch Formel (I) dargestellten Verbindung oder ihres Salzes 0,001 bis 5,0 Gew.-% beträgt.

Revendications

1. Agent de bain contenant du sulfate de sodium et/ou du chlorure de sodium et un composé représenté par la formule (I) suivante:



dans laquelle R_1 et R_2 sont identiques ou différents et représentent un atome d'hydrogène ou un groupe méthyle, ou son sel.

2. Agent de bain selon la revendication 1, dans lequel la concentration d'un composé représenté par la formule (I) ou de son sel est de 0,001 à 5,0 (p/p)%.